



Moore Balance Brace

Standard Features

- Velcro Closure
- Intrinsic Varus/Vaslgus control (no extrinsic posting available)
- Sulcus Length
- Padded Tongue

MBB Considerations:

- See the Library page for Fall Prevention Assessment Template”
This easy to use optional assessment form is an excellent way to assess fall risk and provide compliance documentation
- See the SafeStep website for prescription forms and compliance templates.

- A physical/occupational therapy referral is strongly recommended for further assessment and treatment for imbalance
- Use Standard Arizona AFO style bracing if significant PTTD or other frontal plane deformity is present
- Moore Balance Brace is NOT indicated for PTTD, Charcot, moderate to severe drop foot, osteoarthritis, accommodation of plantar prominences or whenever significant frontal plane support is required.

Patient Information:

Last Name: _____

First Name: _____

Weight _____ Height _____

Gender: M F
 Right Left Bilateral

Diagnosis:

- Muscle Weakness (728.87) Ataxia, Muscular incoordination (781.3)
 At risk / Hx of falls (V15.88) Gait abnormality (781.2)
 Ankle pain and support (729.5) Instability of Joint, ankle & foot (718.87)
 Dropfoot (736.79) Hemiplegia (438.20)
 Other _____

Account Information:

Account Name: _____

Practitioner: _____

Email: _____

Address: _____

City: _____

State: _____ Zip: _____

Phone: () _____

Fax: () _____

Casting Information:

(Unless noted below, as is recommended, the cast will be set in slight plantar flexion so the AFO will be at a 90 degree angle to the floor when in a shoe.)

Ankle Joint Sagittal Plane Position

- Correct cast 90 degrees to the floor (default)
 Leave cast as is

Forefoot to Rearfoot

- Correct to neutral (default)
 Leaves as in cast: fixed in _____degrees varus _____degrees valgus

Frontal Plane

- Correct ankle varus / valgus

(If ankle and/or foot are correctable, it is highly recommended that you capture it at time of casting to obtain best result. If ankle and / or foot position are correctable.)

Special Cast Correction Instructions

Optional SafeStep Shoe Order

Desired features include removable spacers, 3/8" or more additional depth and wide soles. Better Balance shoe styles indicated with an icon in the SafeStep shoe catalog.

- Brand:** Aetrex Orthofeet New Balance
 Pedors Brooks Hush Puppies

Model _____ Color _____

Length _____ Width _____

- STS MID-LEG CASTING SOCKS** box of 10
 Medium Large Extra large
 Free STS Casting Sock One with each order upon request
 STS Starter Kit

Includes 2 mid-leg STS casting socks, scissors, indelible ink pencil, footboard, cut-off strip and tube, casting instructions, instructional DVD: \$49.95*

**Complimentary to AAPP members*

Shipping Instructions

- Normal: 3 weeks in lab 7 days in lab rush: \$50 3 days in lab rush: \$75
 Send **FREE** UPS shipping labels Send AZ AFO / MBB Order Forms
 Send SafeStep shoe catalog